

# Paño *la* feltina®

TEXTIL OLIUS, S. A.

# Paño *la*

**feltina®**

Fieltro de lana que se fabrica en tres calidades distintas con una amplia gama de colores.

## CUALIDADES

Se corta con facilidad en cualquier dirección sin peligro de deshilacharse. En la confección se adapta a las novedades que imponga la moda y no precisa forro.

## ADVERTENCIAS

Lavar en seco.  
Planchar al mínimo de calor y humedad.  
Cosér con punto largo.

## USOS

**Moda y confección:** Se destina principalmente a prendas infantiles y trajes regionales.  
**Decoración y diseño:** Escaparates, cortinajes, forro de plafones y paredes.  
**Hogar:** Almohadones, colchas, fundas para mesas camillas, caminos de mesa, tapetes, fundas o forro de cajones.  
**Artesanía:** Letras y números, flores, banderines, escudos, posters.  
**Juguetería:** Muñecos, didácticos, disfraces, tapetes de juego. Y un sinfín de aplicaciones más por la gran calidad del artículo.

*Wool felt, manufactured in three different grades and a large range of colour tones, as shown in these samples. Excellent draping qualities and a pleasant hand.*

## FEATURES

*Easily cut in any direction without danger of unravelling. Excellent adaptability to fashion's constant demands. No lining required.*

## CAUTIONS

*Dry clean only.  
Use cool and dry iron.  
Sew with large stitch.*

## USES

**Fashion and clothing:** Principally used for children's clothing and for regional costumes.  
**Decoration and design:** Window displays, drapes, panels and wall linings.  
**Home decoration:** Cushions, bedspreads, table coverings and runners, carpet rugs and drawer liners.  
**Crafts:** Letters and numbers, flowers, flags, shields, posters.  
**Toys:** Stuffed animals, educational toys, costumes, play rugs... Plus an endless variety of uses which take advantage of this high quality article.

Solidez al frote en seco en todos los colores:  
4/5 Resultado excelente (máximo 5).

Solidez al frote en húmedo en todos los colores:  
3/4 Bien (máximo 5). (UNE-EN ISO 105-x12)

La última cifra de la referencia del color, indica la solidez a la luz: 3/4 Regular. 5/6 Buena. 7/8 Muy Buena (máximo 8) (UNE-EN ISO 105-B02/OU)

*Rubbing resistance on dry state, on all Feltina colours:  
4/5 Excellent result (max. 5).*

*Rubbing resistance on damped state, on all Feltina colours:  
3/4 Good result (max. 5). (UNE-EN ISO 105-x12)*

*The last number of each colour indicates colour fastness to light: 3/4 Regular. 5/6 Good. 7/8 Very good (max. 8) (UNE-EN ISO 105-B02/OU)*

## Índice situación colores - Index situation colours

Color Colour	Línea Line	Color Colour	Línea Line	Color Colour	Línea Line	Color Colour	Línea Line	Color Colour	Línea Line	Color Colour	Línea Line	Color Colour	Línea Line
2	1	16	3	*32	1	*48	5	65	5	81	2	96	5
*5	5	17	4	*34	1	*49	6	66	6	82	4	*98	7
*6	3	18	5	*35	2	51	2	*67	7	*83	1	*103	1
*7	6	*20	6	36	2	53	6	68	5	*84	2		
*9	7	*24	4	37	3	55	3	69	7	*86	5		
*10	2	*25	5	*38	4	*58	1	*72	2	87	1		
*11	3	*26	6	*39	5	*59	2	*73	4	90	6		
*12	4	*27	4	*40	6	*60	3	*74	4	91	1		
13	2	*28	5	*41	7	61	4	*75	6	92	3		
14	3	*29	3	42	2	*62	6	*77	3	93	1		
15	2	30	7	45	3	64	4	*78	1	94	1		

1



\*103/7-8



91/6-7



93/7-8



94/7



\*83/5

2



42/6



81/6-7



15/7-8



51/7



\*10/4-5

3



92/6-7



55/6-7



16/6-7




45/6-7



\*11/4

4



64/6



82/6-7



17/7-8



61/4-5



\*12/4

5



65/6-7



\*48/6



18/7



96/4



68/6-7

6



66/7



\*49/6



\*20/7-8



90/3-4



53/6-7

7



\*67/7



\*9/7-8



69/7



2/4-5




87/3



\*78/6



\*32/3-4



\*34/4



\*58/3



\*72/3




36/3



\*84/7



13/4-5



\*35/4



\*59/3



\*6/4



37/3



\*77/7



\*29/3



14/4



\*60/6



\*73/3-4



\*38/5-6



\*74/4



\*24/3-4



\*27/5




\*5/3



\*39/4-5




\*86/3-4



\*25/6-7



\*28/6-7




\*7/4



\*40/7



\*75/2-3



\*26/5



\*62/6-7



\*41/6-7



\*98/4-5



30/4-5



# Paño <sup>1</sup>/<sub>a</sub>

Muestras de calidad  
Quality samples



## **feltina**<sup>®</sup>

### 100% lana-wool

Colores: con asterisco\*

Ancho piezas: 160 cms. - Espesor: 1,2 mm.

Largo piezas: 38 m. aprox.

Composición: 100% lana

Peso: 400 grs/ml.±7%

Para colores, gramajes y anchos especiales, se ruega consultar.

*Colours: in colour card with\**

*Width: 160 cms. - 63"*

*Thickness: 1,2 mm. - 3/64"*

*Roll length: 38 m. approx. - 42 yds.*

*Composition: 100% wool*

*Weight: 400 grs/lm.±7% - 13 oz/lyd.*

*For special colours, weights and widths, please ask for information.*



## **feltina**<sup>®</sup>

### 60% lana-wool

### 40% viscosa-viscose

Colores: sin asterisco

Ancho piezas: 160 cms. - Espesor: 1,1 mm.

Largo piezas: 38 m. aprox.

Composición: 60% lana - 40% viscosa

Peso: 400 grs/ml.±7%

Para colores, gramajes y anchos especiales, se ruega consultar.

*Colours: without\* in colour card*

*Width: 160 cms. - 63"*

*Thickness: 1,1 mm. - 3/69"*

*Roll length: 38 m. approx. - 42 yds.*

*Composition: 60% wool-40% viscose*

*Weight: 400 grs/lm.±7% - 13 oz/lyd.*

*For special colours, weights and widths, please ask for information.*



## **Deco3**

Colores: 9-16-29-59-67-82-83-90

Ancho piezas: 183 cms. - Espesor: 3 mm.

Composición: 100% lana

Peso: 750 grs/m<sup>2</sup>

#### POSIBILIDAD DE TRATAMIENTOS:

- IGNIFUGADO • HIDROFUGADO • ANTI-MOHO
- ANTI-PILING • ANTI-ESTÁTICO • ANTI-MANCHAS
- ANTI-POLILLA

Para los tratamientos, otras calidades y espesores, se ruega consultar.

*Colours: 9-16-29-59-67-82-83-90*

*Width: 183 cms. - 72" - Thickness: 3 mm. - 1/8"*

*Composition: 100% wool*

*Weight: 750 grs/m<sup>2</sup> ±7% - 24,37 oz/lyd*

#### POSSIBLE TREATMENTS:

- FLAME RETARDANT • WATER REPELLENT
- ROT PROOF • ANTI-PILLING • STAIN PROOF
- MOTH PROOF

*For treatments, other qualities and thickness, please ask for information.*